

BLANK PAGE



भारतीय मानक

REAFFIRMED

2009

क्रिस्टल इकाई होल्डर - विशिष्टि

भाग 13 स्वचालित प्रहस्तन के लिये क्वार्ज क्रिस्टल इकाई होल्डर की रूप-रेखा

अनुभाग 2 धातु, सीलबंद, दो पिन वाले क्रिस्टल इकाई होल्डर टाइप सी यू 02

Indian Standard

CRYSTAL UNIT HOLDERS — SPECIFICATION

PART 13 QUARTZ CRYSTAL UNIT HOLDER OUTLINE FOR AUTOMATIC HANDLING

Section 2 Metal, Sealed, Two Pin Crystal Unit Holder Type CU 02

UDC 621-373-5:621-316-58

© BIS 1993

BUREAU OF INDIAN STANDARDS MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

Price Group 1

AMENDMENT NO. 1 MAY 2002 TO

IS 4570 (PART 13/SEC 2): 1993 CRYSTAL UNIT HOLDERS — SPECIFICATION

PART 13 QUARTZ CRYSTAL UNIT HOLDER OUTLINE FOR AUTOMATIC HANDLING

Section 2 Metal, Sealed, Two Pin Crystal Unit Holder Type CU 02

(Page 2, Table 1, col headed 'Identity Reference') — Substitute 'CU 02 A' for 'CU 01 A', 'CU 02 B' for 'CU 01 B', 'CU 02 C' for 'CU 01 C', 'CU 02 D' for 'CU 01 D', 'CU 02 E' for 'CU 01 E', 'CU 02 F' for 'CU 01 F'.

(Page 2, Table 1, col headed 'Millimetres', sub-col headed 'Min') — Substitute '0.45' for '0.40' against Ref K.

(LTD 12)

Reprography Unit, BIS, New Delhi, India

FOREWORD

This Indian Standard (Part 13/Sec 2) was adopted by the Bureau of Indian Standards, after the draft finalized by the Piezoelectric Devices for Frequency Control and Selection Sectional Committee, LTD 12 had been approved by the Electronics and Telecommunication Division Council.

This standard shall be read in conjunction with IS 4570 (Part 1): 1983 'Specification for crystal unit holders: Part 1 General requirements and tests (first revision)'.

This standard (Part 13/Sec 2) is based on IEC Doc 49 (C.O.) 223 'Quartz crystal unit outlines for automatic handling, types CU 01, CU 02, CU 03, CU 04, CU 05' issued by International Electrotechnical Commission (IEC) and covers quartz crystal unit holder outlines type CU 02.

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2: 1960 'Rules for rounding off numerical values (revised)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard

CRYSTAL UNIT HOLDERS — SPECIFICATION

PART 13 QUARTZ CRYSTAL UNIT HOLDER OUTLINE FOR AUTOMATIC HANDLING

Section 2 Metal, Sealed, Two Pin Crystal Unit Holder Type CU 02

1 SCOPE

1.1 This standard (Part 13/Sec 2) specifies the outline dimensions for metal, sealed, two pin crystal unit holder for automatic handling, type CU 02.

2 REFERENCES

2.1 The following Indian Standard is a necessary adjunct to this standard:

IS No.

Title

4570 (Part 1): Crystal unit holders: Part 1 1983 General requirements and tests (first revision)

3 TYPE DESIGNATION

3.1 The crystal unit holder covered in this standard shall be designated as metal, sealed, two pin crystal unit, Type CU 02.

NOTE — The complete identity for any crystal unit holder outline is a six digit type number consisting of the basic type number (4 digits) followed by a letter indicating the enclosure height and a number indicating the lead length. The identity references for the last two digits are given in the table, where a dot indicates the missing information, which is given on another line.

Example — CU 02 B2 is the complete identity for the enclosure CU 02 with the height C_2 and the lead length L_2 .

4 OUTLINE AND DIMENSION

4.1 The outline and dimensions shall be according to Fig. 1 read alongwith Table 1.

5 CONSTRUCTION AND WORKMANSHIP

5.1 See **5** of IS 4570 (Part 1): 1983.

6 MARKING

6.1 See 6 of IS 4570 (Part 1): 1983.7 TEST

7.1 See 7 of IS 4570 (Part 1): 1983.




Fig. 1 Metal, Sealed, Two-Lead Crystal Unit Holder Outline for Automatic Handling, Type CU 02

Table 1 Dimensions for Quartz Crystal Unit Holder Type CU 02 (Clauses 3.1 and 4.1)

	Millimetres			Identity Reference	Notes
Ref	Min	Nom	Max	Mentily Reference	Notes
A	_	_	.11-10		
В	_		5.00		
C ₁		<u>-</u>	3.60	CU O1 A	1
C ₂		_	,5⋅10	CU O1 B	1
C_3	_	_	7.00	CU 01 C	1
C ₄		-	9.70	CU 01 D	1
C_{5}		_	11-50	CU O1 E	1
C ₆			13.50	CU 01 F	1
D			10-20		
Е	_	_	3.80		
Н	4-67	4.90	5.08		
K	0.40		0.55		
L_1	12.70	_		CU 02·1	1
L_2	15.50	_	_	CU 02·2	1

Standard Mark

The use of the Standard Mark is governed by the provisions of the Bureau of Indian Standards Act, 1986 and the Rules and Regulations made thereunder. The Standard Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well defined system of inspection, testing and quality control which is devised and supervised by BIS and operated by the producer. Standard marked products are also continuously checked by BIS for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the Standard Mark may be granted to manufacturers or produceres may be obtained from the Bureau of Indian Standards.

Bureau of Indian Standards

BIS is a statutory institution established under the Bureau of Indian Standards Act, 1986 to promote harmoious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in the course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Revision of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Handbook' and 'Standards Monthly Addition'. Comments on this Indian Standard may be sent to BIS giving the following reference:

Doc: No. LTD 12 (1615)

Amendments Issued Since Publication

Amend No.	Date of Issue	Text Affected
	BUREAU OF INDIAN STANDARDS	
Headquarters: Manak Bhavan, 9 Ba	hadur Shah Zafar Marg, New Delhi 110002	
Telephones: 331 01 3	31, 331 13 75	Telegrams: Manaksanstha (Common to all Offices)
Regional Offices:		Telephone
Central: Manak Bha NEW DEL	ivan, 9 Bahadur Shah Zafar Marg JHI 110002	\[\begin{cases} 331 \ 01 \ 31 \\ 331 \ 13 \ 75 \end{cases} \]
Eastern: 1/14 C. I. T	7. Scheme VIII M, V. I. P. Road, Maniktola 7A 700054	37 84 99, 37 85 61 37 86 26, 37 86 62
Northern: SCO 445-	446, Sector 35-C, CHANDIGARH 160036	53 38 43, 53 16 40 53 23 84
Southern: C. I. T. C	ampus, IV Cross Road, MADRAS 600113	{235 02 16, 235 04 42 235 15 19, 235 23 15
Western: Manakalay BOMBAY	ya, E9 MIDC, Marol, Andheri (East) 400093	632 92 95, 632 78 58 632 78 91, 632 78 92
FARIDABA	BAD. BANGALORE. BHOPAL. BHUBAN AD. GHAZIABAD, GUWAHATI. HYDERA V. PATNA. THIRUVANANTHPURAM.	ESHWAR. COIMBATORE. BAD. JAIPUR. KANPUR